

Please amend the claims to read as follows.

1 1. (previously presented) In a World Wide Web (Web)
2 communication network with user access via a plurality of
3 data processor controlled interactive receiving Web display
4 stations for displaying, in a standard display interface
5 format, received hypertext Web documents of at least one
6 display page containing text and images accessible from
7 sources on the Web and hyperlinks to other Web documents, a
8 system for selectively customizing the display interface
9 format of Web documents bookmarked at a receiving display
10 station comprising:
11 means for bookmarking a received Web document;
12 means for predetermining at least one display interface
13 format alternate to said standard display interface format
14 for bookmarked Web documents;
15 a document folder associated with each alternate
16 display interface format, said document folder providing
17 each Web document put into said folder with a set of
18 predetermined characteristics and values defining said
19 alternate display interface format;
20 means, responsive to said bookmarking means, for
21 enabling a user to put a bookmarked Web document into a
22 document folder associated with an alternate display
23 interface format; and
24 means for displaying bookmarked documents in said
25 document folder in said alternate display interface format.

1 2. (previously presented) The Web system of claim 1 further
2 including:

3 means for further bookmarking a hyperlink in a
4 bookmarked Web document in a document folder associated with
5 an alternate display interface format; and

6 means, responsive to said means for further
7 bookmarking, for putting the Web document accessed through
8 further bookmarked hyperlink into the document folder
9 associated with said alternate display interface format,
10 wherein said further bookmarked Web document may also be
11 displayed in said same alternate display interface format.

1 3. (previously presented) The Web system of claim 1 further
2 comprising:

3 Web browsing means at said receiving display station
4 including:

5 said means for bookmarking a received Web document;

6 said means for predetermining at least one display
7 interface format alternate to said standard display
8 interface format for bookmarked Web documents;

9 said document folder associated with each alternate
10 display interface format;

11 said means for enabling a user to put a bookmarked Web
12 document into a document folder associated with an alternate
13 display interface format; and

14 said means for displaying bookmarked documents in said
15 document folder in said alternate display interface format.

1 4. (previously presented) The Web system of claim 3 wherein
2 said browsing means further comprise:
3 means for further bookmarking a hyperlink in a
4 bookmarked Web document in a document folder associated with
5 an alternate display interface format; and
6 means, responsive to said means for further
7 bookmarking, for putting the Web document accessed through
8 further bookmarked hyperlink into the document folder
9 associated with said alternate display interface format,
10 wherein said further bookmarked Web document may also be
11 displayed in said same alternate display interface format.

1 5. (previously presented) The Web system of claim 1 wherein
2 said means for predetermining provides a plurality of said
3 alternate display interface formats; and
4 further including a document folder associated with
5 each of said alternate display interface formats.

1 6. (original) The Web system of claim 5 wherein said means
2 for enabling a user to put a bookmarked Web document into a
3 document folder permits the user to put the bookmarked
4 document into a plurality of folders respectfully associated
5 with a plurality of alternate display interface formats.

1 7. (original) The Web system of claim 5 wherein said means
2 for displaying simultaneously displays said plurality of Web
3 documents having said alternate formats in respective
4 separate windows.

1 8. (previously presented) In a World Wide Web (Web)
2 communication network with user access via a plurality of
3 data processor controlled interactive receiving Web display
4 stations for displaying, in a standard display interface
5 format, received hypertext Web documents of at least one
6 display page containing text and images accessible from
7 sources on the Web and hyperlinks to other Web documents, a
8 method for selectively customizing the display interface
9 format of Web documents bookmarked at a receiving display
10 station comprising:
11 bookmarking a received Web document;
12 predetermining at least one display interface format
13 alternate to said standard display interface format for
14 bookmarked Web documents;
15 providing a document folder associated with each
16 alternate display interface format, said document folder
17 providing each Web document put into said folder with a set
18 of predetermined characteristics and values defining said
19 alternate display interface format;
20 enabling a user to put a bookmarked Web document into a
21 document folder associated with an alternate display
22 interface format; and
23 displaying bookmarked documents in said document folder
24 in said alternate display interface format.

1 9. (previously presented) The method of claim 8 further
2 including the steps of:
3 further, bookmarking a hyperlink in a bookmarked Web
4 document in a document folder associated with an alternate
5 display interface format; and
6 putting the Web document accessed through further
7 bookmarked hyperlink into the document folder associated
8 with said alternate display interface format, wherein said
9 further bookmarked Web document may also be displayed in
10 said same alternate display interface format.

1 10. (original) The method of claim 8 further comprising:
2 a Web browsing process at said receiving display
3 station including said steps of:
4 bookmarking a received Web document;
5 predetermining at least one display interface format
6 alternate to said standard display interface format for
7 bookmarked Web documents;
8 providing a document folder associated with each
9 alternate display interface format;
10 enabling a user to put a bookmarked Web document into a
11 document folder associated with an alternate display
12 interface format; and
13 displaying bookmarked documents in said document folder
14 in said alternate display interface format.

1 11. (previously presented) The Web method of claim 10
2 wherein said Web browsing process further comprises said
3 steps of:
4 further bookmarking a hyperlink in a bookmarked Web
5 document in a document folder associated with an alternate
6 display interface format; and
7 putting the Web document accessed through said further
8 bookmarked hyperlink into the document folder associated
9 with said alternate display interface format, wherein said
10 further bookmarked Web document may also be displayed in
11 said same alternate display interface format.

PATENT

10/660,072

1 12. (original) The method of claim 8 wherein said step of
2 predetermining provides a plurality of said alternate
3 display interface formats; and
4 said step of providing respectively provides a document
5 folder associated with each of said alternate display
6 interface formats.

1 13. (previously presented) The method of claim 12 wherein
2 said step of enabling a user to put a bookmarked Web
3 document into a document folder permits the user to put the
4 bookmarked document into a plurality of folders respectfully
5 associated with a plurality of alternate display interface
6 formats.

1 14. (previously presented) The method of claim 12 wherein
2 said step of displaying simultaneously displays said
3 plurality of Web documents having said alternate formats in
4 respective separate windows.

15-20. (cancelled)

1 21. (previously presented) A computer readable medium having
2 stored thereon, a computer program for selectively
3 customizing the display interface format of Web documents
4 bookmarked at a receiving display station in a World Wide
5 Web (Web) communication network with user access via a
6 plurality of data processor controlled interactive receiving
7 Web display stations for displaying, in a standard display
8 interface format, received hypertext Web documents of at
9 least one display page containing text and images accessible
10 from sources on the Web and hyperlinks to other Web
11 documents, wherein the computer program when executed on a
12 computer causes the computer to:

- 13 bookmark a received Web document;
- 14 predetermine at least one display interface format
15 alternate to said standard display interface format for
16 bookmarked Web documents;
- 17 provide a document folder associated with each
18 alternate display interface format, said document folder
19 providing each Web document put into said folder with a set
20 of predetermined characteristics and values defining said
21 alternate display interface format;
- 22 enable a user to put a bookmarked Web document into a
23 document folder associated with an alternate display
24 interface format; and
- 25 display bookmarked documents in said document folder in
26 said alternate display interface format.

1 22. (previously presented) The computer readable medium of
2 claim 21, wherein said computer program when executed causes
3 the computer to:

4 further bookmark a hyperlink in a bookmarked Web
5 document in a document folder associated with an alternate
6 display interface format; and

7 put the Web document accessed through further
8 bookmarked hyperlink into the document folder associated
9 with said alternate display interface format, wherein said
10 further bookmarked Web document may also be displayed in
11 said same alternate display interface format.

1 23. (previously presented) The computer readable medium of
2 claim 21 wherein said stored computer program includes a Web
3 browser program at said receiving display station, wherein
4 said browser program when executed causes the computer to:
5 bookmark a received Web document;
6 predetermine at least one display interface format
7 alternate to said standard display interface format for
8 bookmarked Web documents;
9 provide a document folder associated with each
10 alternate display interface format;
11 enable a user to put a bookmarked Web document into a
12 document folder associated with an alternate display
13 interface format; and
14 display bookmarked documents in said document folder in
15 said alternate display interface format.

1 24. (previously presented) The computer readable medium of
2 claim 23 wherein said Web browser program when executed
3 causes the computer to:
4 further bookmark a hyperlink in a bookmarked Web
5 document in a document folder associated with an alternate
6 display interface format; and
7 put the Web document accessed through said further
8 bookmarked hyperlink into the document folder associated
9 with said alternate display interface format, wherein said
10 further bookmarked Web document may also be displayed in
11 said same alternate display interface format.

PATENT

10/660,072

1 25. (previously presented) The computer readable medium of
2 claim 21 wherein the computer program when executed:
3 provides a plurality of said alternate display
4 interface formats; and
5 provides a document folder associated with each of said
6 respective alternate display interface formats.

26. (previously presented) The computer readable medium of
claim 25 wherein the computer program when executed
1 simultaneously displays said plurality of Web documents
2 having said alternate formats in respective separate
3 windows.